

TRIAD SELECT[™]

Selective broad spectrum weed control

ACTIVE INGREDIENTS

2,4-D – Group 4
MCPA – Group 4
Dicamba – Group 4

% ACTIVE INGREDIENTS

2,4-D 30.89%
MCPA 8.23%
Dicamba 2.77%

FORMULATION

Liquid concentrate

CHEMICAL FAMILY

Phenoxyaliphatic acid,
Benzoic acid

BRAND ALTERNATIVE

Unique formulation

RESTRICTED USE

No

SIGNAL WORD

Warning

PACKAGING

12 x 1 qt, 4 x 1 gal,
2 x 2.5 gal, 30 gal,
55 gal, 265 gal

LABELED USES

Golf courses
Cemeteries
Parks & sports fields
Turfgrass, lawns & grass
Turf grown for seed & sod
Fence & hedgerows
Roadsides & ditches
Rights-of-way
Utility power lines
Railroads, airports &
industrial sites



Triad Select[™] utilizes a combination of 3 active ingredients to form a herbicide that controls a wide variety of hard-to-kill broadleaf weeds such as dandelion, clover and plantain. **Triad Select** has been demonstrated through university trials to be an effective solution that can be applied to both cool and warm season grasses, and is labeled for use on turf, sod farms, rights-of-ways and other non-crop industrial areas.

PRODUCT BENEFITS

- Combined power of three selective herbicides
- Low odor formulation with flexible application rates
- For use on both cool and warm season grasses
- May be applied to woody brush in non-cropland areas
- Can be tank mixed with liquid fertilizers or liquid iron materials*
- University tested

*Refer to label for fertilizer tank mix compatibility.



Prime Source, a Division of Albaugh, LLC

1525 NE 36th Street, Ankeny, IA 50021 • www.primesource-albaugh.com

©2021 Albaugh, LLC. Prime Source and Select are trademarks of Albaugh, LLC.
Always read and follow label instructions.

TRIAD SELECT™


Selective broad spectrum weed control

PROVEN RESULTS

Virginia Tech - Cool Weather Trial

% Percent control @ 16 DAT


Applied to Tall fescue, Kentucky bluegrass and Perennial ryegrass • Untreated = 0% Control



Clemson University - Warm Weather Trial

% Percent control @ 35 DAT

Applied to: Bermuda, Tall fescue
Untreated = 0% Control



APPLICATION INFORMATION

Bahiagrass, bluegrass, common bermudagrass, fescue, ryegrass, zoysia grass

| Use Rate Fluid Ounces | Spray Volume Gallons | Use Rate Fluid Ounces | Spray Volume Gallons |
|--------------------------|-------------------------|--------------------------|-------------------------|
| Per 1,000 sf | | Per Acre | |
| 1.1 to 1.5 | .5 to 5 | 3 to 4 | 5 to 220 |

Dormant St. Augustine

(Common, Raleigh, and Seville varieties grown in Texas, Louisiana, and Mississippi only)

| Use Rate Fluid Ounces | Spray Volume Gallons | Use Rate Fluid Ounces | Spray Volume Gallons |
|--------------------------|-------------------------|--------------------------|-------------------------|
| Per 1,000 sf | | Per Acre | |
| 0.75 to 0.90 maximum | 1 to 5 | 2 to 2.5 maximum | 40 to 200 |

Bentgrass

(Putting and bowling greens)

| Use Rate Fluid Ounces | Spray Volume Gallons | Use Rate Fluid Ounces | Spray Volume Gallons |
|--------------------------|-------------------------|--------------------------|-------------------------|
| Per 1,000 sf | | Per Acre | |
| 0.67 maximum | 3.3 | 1.8 maximum | 145 |

Non-turf application rate

Roadsides (including aprons and guardrails), rights-of-way and other similar non-crop areas: For control of broadleaf weeds, mix at a rate of 1.5 to 3.5 quarts of product per acre. This may require 50 to 300 gallons of water per acre (43,560 sq ft). For woody plants, apply to both stems and foliage of completely matured plants until they start to go dormant.

Woody Brush: Add 1 to 1.5 gallons of this product per acre to wet all parts of the brush foliage, stem and bark. This may require up to 200 to 600 gallons of water per acre (43,560 sq ft).

Weeds controlled

| | | |
|-------------|---------------|-----------------------------------|
| Bedstraw | Knotweed | Ragweed |
| Black Medic | Lambsquarters | Sheep Sorrel |
| Buckhorn | Lespedeza | Shepherdspurse |
| Chicory | Mallow | Speedwell |
| Chickweed | Morningglory | Spurge |
| Clover | Peppergrass | Wild Carrot |
| Dandelion | Pigweed | Wild Garlic |
| Dock | Plantain | Wild Lettuce |
| Ground Ivy | Poison Ivy | Wild Onion |
| Heal-All | Poison Oak | Yarrow & other broadleaf weeds |
| Henbit | Purslane | |

Read label for full application and rate information.